



CAPE
CULTURE

WINSTERS

KAYO

WOODEN WINDOWS



A PROUD MEMBER OF THE SWARTLAND FAMILY



CONTENTS

SWARTLAND WINDOWS	4
CAPE CULTURE WINDOWS	6
WINSTERS WINDOWS	22
KAYO WINDOWS	38
WINDOW INSTALLATION	40

SANS613 CERTIFIED

Windows are SANS 613 certified
(Mechanical Performance Criteria).

CUSTOM-MADE

When ordering a non-standard product,
please take lead time, cost implications
and purpose-made guidelines into account.
For details visit www.swartland.co.za

SUSTAINABILITY IS DEEPLY INGRAINED

We pride ourselves on our integrity and insist that
our natural resources be utilised in a sustainable way.
After all, we're thinking long-term.

IN THE FOREST

Managed responsibly, wood is a renewable
resource. We give preference to responsible loggers
and use plantation-grown timber where possible. Our
staff carefully monitor the harvesting process on-site.

IN THE FACTORY

We're committed to reducing waste. Our recycling
programme uses excess wood chips to fuel the boilers
that kiln-dry our wood, while our air-management system
dramatically reduces harmful emissions.

IN THE HOME

Composite gaskets in all windows and selected
doors improve your home's thermal performance.



Swartland offers three ranges of wooden windows to suit your application and budget.

All windows are made our world-class manufacturing standards, and all ranges are leaders in their class.

Selected windows are SANS 613 certified and approved.

SANS613
CERTIFIED

CAPE CULTURE

WHEN ONLY THE BEST WILL DO



Our **CAPE CULTURE** range features our flagship products. All these products represent the very best of Swartland in terms of quality and guarantees.

STYLES: Sliding Sash, Mock Sash, Top Hung, Horizontal Gliding, Full Pane, Small Pane.

WINSTERS

QUALITY YOU CAN AFFORD



Our **WINSTERS** range is our most popular range, providing features that allow the customer to experience Swartland quality at a competitive price.

STYLES: Full Pane, Small Pane, Mock Sash, Top Hung.

KAYO

VALUE FOR MONEY



Our **KAYO** range offers customers with a limited budget access to Swartland's world-class standards at an affordable price.

STYLES: Full Pane, Small Pane, Top Hung.



CAPE CULTURE PRODUCTS

GLASS TYPE	U-VALUE	SHGC
Single clear	5,0	0,69
Single Low-E	3,6	0,63
14mm Double glazed Solar pack	3,0	0,56
14mm Double glazed Low-E pack	2,41	0,62

WINSTERS PRODUCTS

GLASS TYPE	U-VALUE	SHGC
Single clear	5,0	0,69
Single Low-E	3,6	0,63

STYLES AVAILABLE

Sliding Sash: Both sashes open vertically to provide maximum ventilation. Sashes remain flush with the wall making them ideal around patios, decks and walkways.

Horizontal Gliding windows have one fixed leaf, while the other glides horizontally.



Horizontal Gliding



Full Glass



Victorian



Cape Dutch

Mock Sash: Same facade as the Sliding Sash, except the sash opens outward like a Top Hung window. As with the Sliding Sash they're available in Full Glass, Victorian and Cape Dutch styles.



Box Mock



Cape Culture Mock



Winsters Mock

Caseament windows are hinged windows that open outward to the right or left. A wide range of shapes and styles gives you the flexibility to group in stunning combinations.



Cape Culture Small Pane



Winsters Small Pane



Cape Culture Full Pane



Winsters Full Pane



Top Hung windows are also called awning windows. They're hinged at the top and open outward. Used alongside fixed windows, they provide ventilation during rainy weather.



Cape Culture Top Hung



Winsters Top Hung



SLIDING SASH

Now
SANS 613
Approved

**OUTER
FRAME
SECTION**
147mm
x
68mm



**SASH
FRAME
SECTION**
54mm x 43mm
Mortise and
tenon solid
wood section

HORIZONTAL GLIDING

new
and improved
DESIGN

**OUTER
FRAME
SECTION**
89mm
x
40mm

**SLIDER
FRAME
SECTION**
105mm
x
40mm



As viewed from the outside.

SLIDING SASH HARDWARE



**Nylon pulley
mechanism
and synthetic
rope
for a smooth
sliding action**



**Solid brass
sash fastener**



**Solid brass
sash lift**

**Axle pulley
and composite
brass
face plate**

GLIDING WINDOW HARDWARE



**Single-wheel
roller**



**T-rail bottom
track**



**Cylinder hook
locking mechanism**



**Bronze Coated Aluminium
Flush Pull Handle**

MOCK SASH

BOX MOCK

Sinkless
butt hinge

**OUTER
FRAME
SECTION**
107mm
x
68mm



CAPE MOCK

Mortise
and
tenon
joint
adds
stability

**OUTER
FRAME
SECTION**
92mm
x
40mm

**OPENER
FRAME
SECTION**
54mm
x
43mm



FULL PANE

SMALL PANE

Water drip

**OUTER
FRAME
SECTION**
68mm
x
44mm

**OPENER
FRAME
SECTION**
54mm
x
43mm



TOP HUNG

Water drip

**OUTER
FRAME
SECTION**
68mm
x
44mm

**OPENER
FRAME
SECTION**
54mm
x
43mm



Excellent in
rainy areas –
you can leave
them open for
ventilation
without
allowing
the rain in.

CAPE CULTURE WINDOW HARDWARE




**Sinkless butt
hinge in solid
brass**



**Solid brass
casement handle
and fastener**



4-bar stainless-steel hinge



**Composite
gaskets
standard all
round**









**Fanlight solid brass
peg stay on sash**



For detailed product specifications please
visit www.swartland.co.za

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED








CAPE DUTCH

 SS1CD (0,497)	 SS3CD (1,072)	 SS2.5CD (0,670)	 SS1.5CD (0,335)	 SS2CD (0,652)
 SS4CD (1,231)	 SS5CD (1,461)	 SS6CD (1,663)	 SS7CD (0,51)	 SS8CD (0,320)

VICTORIAN

 SS1VIC (0,512)	 SS3VIC (1,099)	 SS2.5VIC (0,696)	 SS1.5VIC (0,348)	 SS2VIC (0,673)
 SS4VIC (1,264)	 SS5VIC (1,487)	 SS6VIC (1,722)	 SS7VIC (0,52)	 SS8VIC (0,320)

FULL GLASS

 SS1FG (0,512)	 SS3FG (1,099)	 SS2.5FG (0,696)	 SS1.5FG (0,348)	 SS2FG (0,673)
 SS4FG (1,487)	 SS5FG (1,487)	 SS6FG (1,722)	 SS7FG (0,53)	 SS8FG (0,325)

READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Cape Culture is available in our Ready-2-Fit range.

Ready-2-Fit windows and doors are sealed with water-based Maxicare, to guarantee ongoing low maintenance.



Ready-to-Fit is available in these stunning wood tints as well as in white.



PLEASE NOTE:
Windows in this catalogue are shown in an unfinished, raw-wood stage – ready to be finished in the Maxicare colour of your choice.










Figures in brackets indicate estimated glass area. As viewed from the outside.

Louvre shutters are available for these windows.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

Louvre shutters are available for these windows.



	1182	1482	1782	2082
892	 SGW1290L/R (0,542)	 SGW1590L/R (0,735)	 SGW1890L/R (0,929)	 SGW2190L/R (1,122)
1192	 SGW1212L/R (0,794)	 SGW1512L/R (1,077)	 SGW1812L/R (1,361)	 SGW2112L/R (1,644)
1492	 SGW1215L/R (1,046)	 SGW1515L/R (1,419)	 SGW1815L/R (1,793)	 SGW2115L/R (2,166)

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

For detailed product specifications please visit www.swartland.co.za

CAPE DUTCH



SMS1CD
(0,497)



SMS3CD
(1,072)




SMS2.5CD
(0,670)




SMS1.5CD
(0,335)




SMS2CD
(0,652)



SMS4CD
(1,231)



SMS5CD
(1,461)



SMS6CD
(1,663)



SMS7CD
(0,54)




SMS8CD
(0,320)


VICTORIAN



SMS1VIC
(0,512)



SMS3VIC
(1,099)




SMS2.5VIC
(0,696)




SMS1.5VIC
(0,348)




SMS2VIC
(0,673)




SMS4VIC
(1,264)



SMS5VIC
(1,487)



SMS6VIC
(1,722)




SMS7VIC
(0,54)




SMS8VIC
(0,320)

FULL GLASS



SMS1FG
(0,512)




SMS3FG
(1,099)




SMS2.5FG
(0,696)




SMS1.5FG
(0,348)




SMS2FG
(0,673)




SMS4FG
(1,264)



SMS5FG
(1,487)



SMS6FG
(1,722)



SMS7FG
(0,55)
















SMS8FG
(0,325)

Figures in brackets indicate estimated glass area.
As viewed from the outside.








WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED

CAPE DUTCH



VICTORIAN



FULL GLASS

READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Here are
a few reasons
to choose
Ready-2-Fit:

Coating = extra
durability

Quick, trouble-free
installation

Improves build
quality with no
extra costs


Validates the
guarantee

Eco-friendly and
energy-efficient

Constant
testing ensures
compliance
with new building
regulations
and the CPA

GABLE LOUVRES

Available
on request.



GL1
350mm (W)
600mm (H)


























GL2
500mm (W)
800mm (H)

Figures in brackets indicate estimated glass area.
As viewed from the outside.













WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED

	544	1044	1044	1544	2044
900	 SC1L/R (0,303)	 SC2L/R (0,704)	 SC22 (0,606)	 SC3 (1,003)	 SC4 (1,423)
900	 SC1F (0,335)	 SC2FL (0,638)	 SC2FR (0,638)	 SC3F (0,941)	 SC4F (1,315)
1200	 SB1L/R (0,424)	 SB2L/R (0,969)	 SB22 (0,849)	 SB3 (1,393)	 SB4 (1,955)
1200	 SB1F (0,481)	 SB2FL (0,906)	 SB2FR (0,906)	 SB3F (1,330)	 SB4F (1,848)
1500	 SA1L/R (0,544)	 SA2L/R (1,239)	 SA22 (1,088)	 SA3 (1,769)	 SA4 (2,494)
1500	 SA1F (0,620)	 SA2FL (1,163)	 SA2FR (1,163)	 SA3F (1,707)	 SA4F (2,381)
1800	 SA61L/R (0,678)	 SA62L/R (1,501)	 SA622 (1,356)	 SA63 (2,180)	 SA64 (1,037)






Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.



WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

	544	1044	1044	1544	2044
600	 SD1SP (0,174)	 SD25SPL/R (0,348)	 SD22SP (0,348)	 SD3SP (0,521)	 SD4SP (0,695)
900	 SC1SPL/R (0,400)	 SC25SPL/R (0,599)	 SC22SP (0,574)	 SC3SP (0,886)	 SC4SP (1,197)
900	 SC1FSP (0,268)	 SC2FSPL (0,556)	 SC2FSPR (0,556)	 SC3FSP (0,842)	 SC4FSP (1,110)
1200	 SB1SPL/R (0,402)	 SB2SPL/R (0,801)	 SB22SP (0,801)	 SB3SP (1,232)	 SB4SP (1,663)
1200	 SB1FSP (0,388)	 SB2FSPL (0,788)	 SB2FSPR (0,788)	 SB3FSP (1,188)	 SB4FSP (1,576)
1500	 SA1SPL/R (0,514)	 SA2SPL/R (1,065)	 SA22SP (1,027)	 SA3SP (1,578)	 SA4SP (2,130)
1500	 SA1FSP (0,507)	 SA2FSPL (1,011)	 SA2FSPR (1,011)	 SA3FSP (1,535)	 SA4FSP (2,042)
1800	 SA61SPL/R (0,603)	 SA62SPL/R (1,243)	 SA622SP (1,205)	 SA63SP (1,845)	 SA64SP (2,485)

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

GUARANTEE		900	1755	
600		SD1V (0,344)		SD2VL/R (0,7910)
900		SE1V (0,578)		SE2VL/R (1,275)
1155		SF1VV (1,689)		SF1VVL/R (1,599)
1155		SF1V (0,791)		SF2VL/R (1,701)
1710		SG1VV (1,135)		SG2VVL/R (2,505)
2100		SH1VV (1,444)		SH2VVL/R (3,127)

	1044	1544	2044
600	 SD2L/R (0,440) for two top openers SD22W (0,366)	 SD3 (0,623)	 SD4 (0,890)
900	 SE2L/R (0,718)	 SE3L/R (1,136)	 SE4 (1,453)
1155	 SF2L/R (0,889)	 SF3L/R (1,434)	 SF4 (1,800)
1500	 SG2L/R (1,211)	 SG3L/R (1,928)	 SG4 (2,450)
2100	 SH2L/R (1,584)	 SH3L/R (2,775)	 SH4 (3,575)

600	544	544
		
SD1 (0,183)	SF1 (0,366)	
900	1155	1500
		
SE1 (0,317)	SG1 (0,522)	

PLEASE NOTE:
Windows in this catalogue are shown in an unfinished, raw wood stage – ready to be finished in the Maxicare colour of your choice.

544

2100



SH1
(0,800)

IVORY PARCHMENT BALI DEEP SOMBRERO


LIGHT OAK TEAK IMBUJA

WHITE DUSTED MOSS

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED


FULL PANE



SMALL PANE



MOCK SASH



TOP HUNG




WINSTERS WINDOW HARDWARE

Solid brass casement handle and fastener.



Composite gaskets standard all round



WINSTERS WINDOW HARDWARE

Solid brass fanlight stay



4-bar passivated mild steel hinge





VICTORIAN

CAPE DUTCH

691 WMS1V (0,499)	691 WMS1.5V (0,335)	791 WMS2V (0,653)	691 WMS1C (0,481)	691 WMS1.5C (0,336)	791 WMS2C (0,630)
1342 WMS2.5V (0,670)	991 WMS3V (1,067)	991 WMS4V (1,220)	1342 WMS2.5C (0,641)	991 WMS3C (1,040)	991 WMS4C (1,218)
1141 WMS5V (1,455)	1141 WMS6V (1,676)		1141 WMS5C (1,437)	1141 WMS6C (1,646)	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED


READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Winsters is available in our new Ready-2-Fit range.

Ready-2-Fit windows and doors are sealed with water-based Maxicare, to guarantee ongoing low maintenance.



Ready-to-Fit is available in these stunning wood tints as well as in white.



PLEASE NOTE:
Windows in this catalogue are shown in an unfinished, raw-wood stage – ready to be finished in the Maxicare colour of your choice.
























		584		1128		1128		1672		GUARANTEE		
342		WE1/345 (0,099)			WE2/345L (0,248)			WE2/345R (0,248)			WE3/345 (0,347)	
		WD1 (0,215)			WD2L (0,496)			WD2R (0,496)			WD3 (0,711)	
584		WC1F (0,383)			WC2FL (0,740)			WC2FR (0,740)			WC3F (1,096)	
		WB1F (0,542)			WB2FL (1,038)			WB2FR (1,038)			WB3F (1,534)	
886		WA1F (0,701)			WA2FL (1,336)			WA2FR (1,336)			WA3F (1,971)	
		WE22/345 (0,199)			WE4/345 (0,501)			WD22 (0,431)			WD4 (1,008)	
1187		WB4F (1,993)			WA4F (2,713)			WC4F (1,471)				

Figures in brackets indicate estimated glass area.
When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED























WINSTERS FULL PANE

WINSTERS FULL PANE

	584	1128	1128	1128	1672
886	 WC1L/R (0,357)	 WC2L (0,799)	 WC2R (0,799)	 WC22 (0,714)	 WC3 (1,156)
1187	 WB1L/R (0,496)	 WB2L (1,098)	 WB2R (1,098)	 WB22 (0,992)	 WB3 (1,594)
1487	 WA1L/R (0,635)	 WA2L (1,369)	 WA2R (1,396)	 WA22 (1,270)	 WA3 (2,031)
1832	 WA1/1.8L/R (0,784)	 WA2/1.8L (1,693)	 WA2/1.8R (1,693)	 WA22/1.8 (1,567)	 WA3/1.8 (2,328)
	2216		2216		
886	 WC4 (1,615)		 WB4 (2,218)		
1487	 WA4 (2,820)		 WA4/1.8 (3,265)		

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE

	584	1128	1128	1672	2216
342	 WE1SP/345 (0,098)	 WE2SP/345L (0,207)	 WE2SP/345R (0,207)	 WE3SP/345 (0,294)	 WE4SP/345 (0,392)
584	 WD1SP (0,212)	 WD2SPL (0,423)	 WD2SPR (0,423)	 WD3SP (0,635)	 WD4SP (0,846)
886	 WC1FSP (0,310)	 WC2FSPL (0,655)	 WC2FSPR (0,655)	 WC3FSP (1,001)	 WC4FSP (1,213)
1187	 WB1FSP (0,444)	 WB2FSPL (0,924)	 WB2FSPR (0,924)	 WB3FSP (1,404)	 WB4FSP (1,848)
1487	 WA1FSP (0,578)	 WA2FSPL (1,192)	 WA2FSPR (1,192)	 WA3FSP (1,806)	 WA4FSP (2,286)
886	 WC1SPL/R (0,364)	 WC2SPL (0,692)	 WC2SPR (0,692)	 WC3SP (1,037)	 WC4SP (1,383)
1187	 WB1SPL/R (0,480)	 WB2SPL (0,960)	 WB2SPR (0,960)	 WB3SP (1,440)	 WB4SP (1,920)

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINSTERS SMALL PANE


1128

342




WE22SP/345
(0,196)

886




WC22SP
(0,692)

1487




WA22SP
(1,228)

1487



WA2SPR
(8,478)

1832



WA2SP/1.8L
(1,424)


1128

584




WD22SP
(0,423)

1187




WB22SP
(0,960)

1487




WA2SPL
(8,478)

1832



WA22SP/1.8
(1,424)

1832




WA2SP/1.8R
(1,424)

WINSTERS SMALL PANE

584

1487



WA1SPL/R
(0,614)


1832



WA1SP/1.8L/R
(0,712)


1672

1487



WA3SP
(1,843)


1832



WA3SP/1.8
(2,137)


2216

1487



WA4SP
(2,457)

1832



WA4SP/1.8
(2,849)

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Here are
a few reasons
to choose
Ready-2-Fit:

Coating = extra
durability

Quick, trouble-free
installation

Improves build
quality with no
extra costs

Validates the
guarantee

Eco-friendly and
energy-efficient

Constant
testing ensures
compliance
with new building
regulations
and the CPA

Ready-to-Fit
is available in
these stunning
wood tints as well
as in white.



IVORY
PARCHMENT BALI DEEP



SOMBRERO LIGHT OAK



TEAK IMBUIA



WHITE DUSTED
MOSS
























PLEASE NOTE:
Windows in this
catalogue are
shown in an
unfinished,
raw-wood stage –
ready to be
finished in the
Maxicare colour
of your choice.

584 887 MC1 (0,358)	584 887 MC1VB (0,358)	584 886 WR1 (0,365)
584 1128 WS1 (0,431)	584 1487 MA6 (0,679)	584 1487 MA6VB (0,679)
584 1487 WT1 (0,607)	584 1697 WU1 (0,716)	584 1787 MJ6 (0,828)
584 1787 MJ6VB (0,828)	584 2087 WK1D (0,913)	937 2087 WK1 (1,561)
937 584 WE1 (0,380)	937 887 MC9 (0,630)	937 887 MC9VB (0,630)
937 886 WF1 (0,714)	937 1128 WG1 (0,846)	937 1128 WH1 (0,760)
937 1487 WI1 (1,054)	937 1487 MA9VB (1,250)	937 1487 MA9 (1,250)

1128 886 WR2L (0,806)	1672 886 WR3L (1,265)	1672 886 WR3R (1,265)
1128 886 WR2R (0,806)	1500 1128 WH1.5L (1,327)	1500 1128 WH1.5L/R (1,327)
1128 1128 WS2L (1,003)	1500 1487 WI1.5L (1,810)	1500 1487 WI1.5R (1,810)
1128 1128 WS2R (1,003)	1672 1128 WS3L (1,597)	1672 1128 WS3R (1,597)
1128 1487 WT2L (1,367)	1672 1487 WT3L (2,156)	1672 1487 WT3R (2,156)
1128 1487 WT2R (1,367)	1672 1487 WT2/WT1 (1,965)	1672 886 WR33 (1,176)
1834 1128 WS22 (1,755)	1834 1487 WT22 (2,183)	
2216 1487 WT33 (2,736)	937 1697 WJ1 (1,235)	










Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.





WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

1834  WE2L (0,846)	1834  WE2R (0,846)	2216  WE3L (1,058)	2216  WE3R (1,058)
1834  WF2L (1,783)	1834  WF2R (1,783)	2216  WF3L (1,783)	2216  WF3R (1,783)
1834  WG2L (0,797)	1834  WG2R (0,797)	2216  WG3L (2,229)	2216  WG3R (2,229)
1834  WH2L (1,710)	1834  WH2R (1,710)	2216  WH3L (2,142)	2216  WH3R (2,142)
1834  WI2L (2,299)	1834  WI2R (2,299)	2216  WI3L (2,843)	2216  WI3R (2,843)
1834  WJ2L (2,682)	1834  WJ2R (2,682)	2216  WJ3L (3,011)	2216  WJ3R (3,011)
1834  WK2L (3,342)	1834  WK2R (3,342)	2216  WK3L (3,961)	2216  WK3R (3,961)
	2216  WR4 (1,304)	2731  WJ2/WJ1 (3,888)	

Figures in brackets indicate estimated glass area.
As viewed from the outside.


WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

	568	1112	1656
568	 KD1	 KD2L/R	 KD3
870	 KC1L/R	 KC2L/R	 KC3
870	 KC1F	 KC2FL/R	 KC3F
870		 KC22	
1171	 KB1L/R	 KB2L/R	 KB3
1171		 KB22	 KB3F
1171		 KB2FL/R	

	568	1112	1656
568	 KD1SP	 KD2SPL/R	 KD3SP
870	 KC1SPL/R	 KC2SPL/R	 KC3SP
870	 KC1FSP	 KC2FSPL/R	 KC3FSP
870		 KC22SP	
1171	 KB1SPL/R	 KB2SPL/R	 KB3SP
1171		 KB22SP	 KB3FSP
1171		 KB2FSPL/R	

As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening




WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

568	921	1112
 KR1	 KF1	 KR2L/R
870	1112	
	 KG1	 KS2L/R
1656	1818	
 KR2/KR1	 KS2/KS1	
870	1112	

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

As viewed from the outside.

When ordering, please indicate left-hand or right-hand opening



	568	568	568
326			
	PNKYW1210		
568			
	PNKYW1110	PNKYW1410	
808			
	PNKYW1660	PNKYW1310	PNKYW1610
	1112	1112	1112
808			
	PNKYW1670	PNKYW1320	PNKYW1620

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

WINDOW INSTALLATION

It's important to install wooden windows correctly to ensure the validity of your guarantee.

Prepare by securing the window frame level and square in position, using wedges if needed.




After plasterwork, finish joints with water-resistant sealant.

FINISH UNDER FRAME

We go to great lengths to seal our products thoroughly.

Even though MAXICARE contains anti-fungal agents, to limit dry rot please ensure you adhere to the installation guidelines.

More information at
www.swartland.co.za





SWARTLAND

The Swartland story began back in 1951 in the small town of Moorreesburg – a few wheat fields north of Cape Town.

In the late 1980s, the philosophy of ‘continuous improvement’ was instilled in the business.

Today this desire to keep improving is an integral part of the Swartland culture, where traditional values such as hard work and pride live in harmony with new technology and ongoing innovation.

The results speak for themselves: our products are crafted to perfection, manufactured to last and backed by expert national sales and service teams.

NATIONAL CALL CENTRE: 0861 10 24 25

SANS613
CERTIFIED



SABS
ISO 9001

WWW.SWARTLAND.CO.ZA

HEAD OFFICE: 0861 10 24 25
Cape Town: 0861 10 24 25
Johannesburg: 0861 10 24 25
Durban: 0861 10 24 25
Port Elizabeth: 041 487 1342
East London: 043 745 0410
Namibia: 00 264 612 49558



THE SWARTLAND FAMILY OF BRANDS



June 2024

The information contained in this catalogue was accurate at the time of going to print. All Pictures shown are for illustration purpose only. Actual product may vary due to product enhancement. Swartland Investments (Pty) Ltd reserves the right to change product designs and specifications in line with our continuous development programme.

TERMS AND CONDITIONS APPLY. SEE GUARANTEE CERTIFICATE FOR DETAILS.

www.swartland.co.za