



KENZO
THE POPULAR CHOICE

ALUMINIUM WINDOWS AND DOORS



A PROUD MEMBER OF THE SWARTLAND FAMILY



ABOUT **KENZO**

Made to the same superior standards as our hardwood windows and doors, this exciting new range not only offers homeowners greater choice, but also Swartland's renowned manufacturing excellence, lasting quality and great value.

NATIONAL **AVAILABILITY**

Large stockholding, combined with Swartland's national distribution footprint means our aluminium products are available for any size project, anywhere in South Africa – on time, every time.

STANDARD **COLOURS**

All products are available in standard colours.



Silver/Grey

Bronze/Brown

Charcoal

White

Colour samples are a guide only and may not match actual product.

KENZO ALUMINIUM RANGE

KENZO windows and doors are made of strong, lightweight aluminium-alloy frames.

They require limited maintenance and never need to be painted – the perfect combination of durability, energy-efficiency and affordability.

Selected products are SANS 613 certified and compliant.

CONTENTS

TOP HUNG WINDOWS	2
SIDE HUNG WINDOWS	6
GLIDING WINDOWS	10
SLIDING DOORS	13
FOLD-A-SIDE DOORS	16
ENTRANCE DOORS	20
SHOWER DOORS	24

SABS
ISO 9001

Windows are SANS 613 certified
(Mechanical Performance Criteria).

SANS613
CERTIFIED



THE KENZO WINDOW RANGE

Kenzo windows are available in **STANDARD** 30,5mm casement sections or **SUPERIOR** 38mm sections – either double- or single-glazed. All windows are SANS 613 compliant.

	600	900	1200	1500
400	 ● PT64 ● SPT64		 ● PTT124 ● SPTT124	 ● PTT154 ● SPTT154
600			 ● PTT126 ● SPTT126	 ● PTT156 ● SPTT156
600	 ● PT66 ● SPT66	 ● PT96 ● SPT96	 ● PT126 ● SPT126	 ● PT156 ● SPT156
900	 ● PT69 ● SPT69	 ● PT99 ● SPT99	 ● PT129 ● SPT129	 ● PT159 ● SPT159
900	 ● PTF69 ● SPTF69			
1200	 ● PT612 ● SPT612	 ● PT912 ● SPT912	 ● PTT1212 ● SPTT1212	 ● PTT1512 ● SPTT1512
1200	 ● PTF612 ● SPTF612		 ● PT1212 ● SPT1212	







































- Ⓢ Obscure glass available on request.
- Ⓢ Safety glass is fitted to selected windows where required.

TOP HUNG RANGE | ● STANDARD ● SUPERIOR

These windows are perfect for commercial or residential environments as they allow ventilation and unrestricted airflow even during rainy weather.

	1800	2100	2400
400	 ● PTT184 ● SPTT184	 ● PTT214 ● SPTT214	 ● PTT244 ● SPTT244
600	 ● PTT186 ● SPTT186	 ● PTT216 ● SPTT216	 ● PTT246 ● SPTT246
600	 ● PT186 ● SPT186	 ● PT216 ● SPT216	 ● PT246 ● SPT246
900	 ● PT189 ● SPT189	 ● PT219 ● SPT219	 ● PT249 ● SPT249
900	 ● PTT189 ● SPTT189	 ● PTT219 ● SPTT219	 ● PTT249 ● SPTT249
1200	 ● PTT1812 ● SPTT1812	 ● PTT2112 ● SPTT2112	 ● PTT2412 ● SPTT2412
1200			

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.

	600	900	1200	1500	1800	2100	2400
1200	 ● PTT612 ● SPTT612	 ● PTT912 ● SPTT912		 ● P4TT1512 ● SP4TT1512	 ● P4TT1812 ● SP4TT1812		
1200		 ● PTTH912 ● SPTTH912	 ● PTTH1212 ● SPTTH1212	 ● PTTH1512 ● SPTTH1512		 ● P4TT2112 ● SP4TT2112	 ● P4TT2412 ● SP4TT2412
1500	 ● PTT615 ● SPTT615	 ● PTT915 ● SPTT915	 ● PTT1215 ● SPTT1215	 ● PTT1515 ● SPTT1515	 ● PTT1815 ● SPTT1815	 ● PTT2115 ● SPTT2115	 ● PTT2415 ● SPTT2415
1500				 ● P4TT1515 ● SP4TT1515	 ● P4TT1815 ● P4TT1815	 ● P4TT2115 ● SP4TT2115	 ● P4TT2415 ● SP4TT2415
1500	 ● PT615 ● SPT615	 ● PT915 ● SPT915	 ● PTTH1215 ● SPTTH1215	 ● PTTH1515 ● SPTTH1515			
1800	 ● PTT618 ● SPTT618	 ● PTT918 ● SPTT918	 ● PTT1218 ● SPTT1218	 ● PTT1518 ● SPTT1518	 ● PTT1818 ● SPTT1818	 ● PTT2118 ● SPTT2118	 ● PTT2418 ● SPTT2418
1800	 ● PT618 ● SPT618	 ● PT918 ● SPT918	 ● PTTH1218 ● SPTTH1218	 ● PTTH1518 ● SPTTH1518	 ● P4TT1818 ● SP4TT1818	 ● P4TT2118 ● SP4TT2118	 ● P4TT2418 ● SP4TT2418

Ⓢ Obscure glass available on request.

Ⓢ Safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.







All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.



SIDE HUNG RANGE | ● STANDARD ● SUPERIOR

The opening sash on a side hung window can be opened to direct the airflow, exactly where you want it, for maximum ventilation. When ordering please specify whether the window is left-hand or right-hand opening as viewed from the outside.

- Features**
- Ergonomic midnight-black cast aluminium handles.
 - Durable stainless-steel window hinges.
 - Can be fitted with burglar bars on request.

	600	900	1200	1500	1800	2100	2400
900	 ● SH69 ● SSH69		 ● SH129 ● SSH129	 ● SH159 ● SSH159	 ● SH189 ● SSH189		
900			 ● SHH129 ● SSHH129		 ● SHH189 ● SSHH189	 ● SHH219 ● SSHH219	 ● SHH249 ● SSHH249
























- Ⓢ Obscure glass available on request.
- Ⓢ Safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.

- Ⓢ Obscure glass available on request.
- Ⓢ Safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.
























SIDE HUNG WINDOWS

	600	900	1200	1500	1800	2100	2400
1200	 ● SH612 ● SSH612		 ● SH1212 ● SSH1212	 ● SH1512 ● SSH1512	 ● SH1812 ● SSH1812		
1200			 ● SHH1212 ● SSHH1212		 ● SHH1812 ● SSHH1812	 ● SHH2112 ● SSHH2112	 ● SHH2412 ● SSHH2412
1500	 ● SH615 ● SSH615		 ● SH1215 ● SSH1215	 ● SH1515 ● SSH1515	 ● SH1815 ● SSH1815		
1500			 ● SHH1215 ● SSHH1215		 ● SHH1815 ● SSHH1815	 ● SHH2115 ● SSHH2115	 ● SHH2415 ● SSHH2415
1800	 ● SH618 ● SSH618		 ● SH1218 ● SSH1218	 ● SH1518 ● SSH1518	 ● SH1818 ● SSH1818		
1800			 ● SHH1218 ● SSHH1218		 ● SHH1818 ● SSHH1818	 ● SHH2118 ● SSHH2118	 ● SHH2418 ● SSHH2418

- Obscure glass available on request.
- Safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.

SIDE HUNG WINDOWS

600	900	1200	1500	1800	2100	2400
 ● SH612 ● SSH612		 ● SH1212 ● SSH1212	 ● SH1512 ● SSH1512	 ● SH1812 ● SSH1812		
		 ● SHH1212 ● SSHH1212		 ● SHH1812 ● SSHH1812	 ● SHH2112 ● SSHH2112	 ● SHH2412 ● SSHH2412
 ● SH615 ● SSH615		 ● SH1215 ● SSH1215	 ● SH1515 ● SSH1515	 ● SH1815 ● SSH1815		
		 ● SHH1215 ● SSHH1215		 ● SHH1815 ● SSHH1815	 ● SHH2115 ● SSHH2115	 ● SHH2415 ● SSHH2415
 ● SH618 ● SSH618		 ● SH1218 ● SSH1218	 ● SH1518 ● SSH1518	 ● SH1818 ● SSH1818		
		 ● SHH1218 ● SSHH1218		 ● SHH1818 ● SSHH1818	 ● SHH2118 ● SSHH2118	 ● SHH2418 ● SSHH2418

- Obscure glass available on request.
- Safety glass is fitted to selected windows where required.












All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.



HORIZONTAL GLIDING RANGE

Horizontal windows provide effective ventilation where external space is limited. Design simplicity and few moving parts make these windows more durable than conventional windows. Ideal for wide openings, the advanced gliding mechanism requires very little effort to open or close.

- Available in standard sizes, but non-standard sizes can be ordered at an additional cost.
- High security locking mechanism included.
- Recessed finger-latches also included.

	900	1200	1500	1800	2100
600	 HS96	 HS126	 HS156	 HS186	 HS216
900	 HS99	 HS129	 HS159	 HS189	 HS219
1200	 HS912	 HS1212	 HS1512	 HS1812	 HS2112

⦿ Obscure glass available on request.

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.

⦿ Obscure glass available on request.

All sizes shown are cavity opening sizes.
Products are 10mm smaller in width and height than indicated.



THE KENZO DOOR RANGE


KENZO offers a wide range of door types, styles and sizes to meet your needs. This exquisitely made range is readily available through all leading hardware retailers. Selected products are SANS 613 compliant.



SLIDING DOOR RANGE | ● STANDARD ● SUPERIOR

KENZO sliding doors are constructed with long-life rollers to ensure a smooth gliding action, and are pre-glazed with toughened safety glass. Our sliding doors are designed to be weather- and dust-proof. Available in **SUPERIOR** (60mm stile) or **STANDARD** range (28mm stile).

- All doors are supplied with secure and lockable handles.
- Night latch for extra security supplied with standard range.
- Night latches can be fitted on superior ranges.






SLIDING DOOR RANGE

- STANDARD
- SUPERIOR

All doors are supplied with secure, lockable handles.




- Two-panel sliding doors are universally handed to allow for either left-hand or right-hand opening.
- All doors are fitted with toughened safety glass.

Door Type	Actual size		Opening size to fit	
	Width	Height	Opening Width	Opening Height
OX1521	1,490	2,090	1,500	2,100
OX1821	1,790		1,800	
OX2121	2,090		2,100	
OX2421	2,390		2,400	
OX2721	2,690		2,700	
OX3021	2,990		3,000	
OXX03021	2,990		3,000	
OXX03621	3,590		3,600	
OXX04221	4,190		4,200	

SIDELIGHTS

All Standard Sliding doors can be coupled with sidelights, either fixed or projecting-out vents.



- Pre-glazed sidelights can be fitted to the left, right or on both sides of the doors.
- Adapter jamb and sill sold separately.
- Toughened safety glass fitted to all sidelights.

If used next to an entrance door or a fold-a-side door, please order the following part number: **SLADAPTORB** (where B indicates colour – bronze in this case) to ensure easy installation.

- O – Indicates the fixed panel.
- X – Indicates the sliding panel
- OX – Doors are universally handed, i.e. they can be assembled either left-hand or right-hand opening.
- OXXO – Doors are opened from the middle.




FOLD-A-SIDE DOOR RANGE


When opened, these doors create the maximum possible opening you can get. It's the perfect way to extend your kitchen, sun room, lounge or bedroom. The doors are divided into sections, with choices ranging from a three-panelled door to a much wider six-panelled door.

S As of the 1st March 2022, all Fold-A-Side doors will be supplied with 4mm toughened safety glass.


- When ordering please specify whether the door must stack to the left or right when viewed from the outside.
- All doors open outwards.
- It is not necessary to open the entire span for access. The first leaf functions as a single (traffic) door and opens independently.




3-door
1800w x 2100h
2100w x 2100h



4-door
2400w x 2100h
2800w x 2100h



5-door
3000w x 2100h




6-door
3600w x 2100h
4200w x 2100h



FOLD-A-SIDE DOOR RANGE


Fold-A-Side doors are available in 700mm or 600mm door widths. All doors are 2100mm in height; you can have a maximum 4200mm span in our standard range. This door range has been carefully developed to replace old sliding doors.

700 SERIES



3, 4, 5, and 6-door configurations are available in either left-hand or right-hand opening.

600 SERIES




3, 4, 5, and 6 door configurations are available in either left-hand or right-hand opening.




ENTRANCE DOOR RANGE

The KENZO range of entrance doors can be used in a wide range of applications, such as front doors, balcony doors, office doors and even internal doors.

- Open-in doors supplied with weather bar to minimize water leakage.




DIFDGLG
(Horizontal boarding)




DIFDFGB



DIFDGLH
(Horizontal boarding)



DGLH
(Horizontal boarding)
Available in Bronze/Brown and White



DGLG
(Horizontal boarding)
Available in Bronze/Brown and White



DFGB
Available in Bronze/Brown and White



DHGC/S
(Horizontal boarding)
Stable



DHGC
(Horizontal boarding)




DGLB
(Horizontal boarding)



DGLD
(Horizontal boarding)




DHGA/S
(Horizontal boarding)
Stable



DHGA
(Horizontal boarding)



DGLE
(Horizontal boarding)




DGLF
(Horizontal boarding)



DPC/S
(Horizontal boarding)
Stable



DFGA




DHG
Available in double doors
900 x 2100
WS (01/00)



DFG
Available in double doors
900 x 2100
WS (01/00)



DGLA




DGLC



DGLK

STANDARD COLOURS

All products are available in standard colours.



Colour samples are a guide only and may not match actual product.

SHOWER DOOR RANGE

Kenzo offers a range of clear glass shower doors to suit any size bathroom.

From our closed and corner units to full glass panels, this range is popular not only for its aesthetic appeal, but for its exceptional quality and longevity.



DSQR/CLR/W
QUARTER ROUND
WHITE SHOWER ENCLOSURE
900X900X1850



DSQR/CLR/CH
QUARTER ROUND
CHROME SHOWER ENCLOSURE
900X900X1850



DSCR/CLR/W
CORNER WHITE SHOWER ENCLOSURE
900X900X1850



DSCR/CLR/B
CORNER BLACK SHOWER ENCLOSURE
900X900X1850



DSPN/CLR/W
RETURN PANEL WHITE
800-900X1850



DSPN/CLR/CH
RETURN PANEL CHROME
800-900X1850



DSCR/CLR/CH
CORNER CHROME SHOWER ENCLOSURE
900X900X1850



DSPN/CLR/B
RETURN PANEL BLACK
800-900X1850



DSPD/CLR/W
PIVOT PANEL WHITE
800-900X1850



DSPD/CLR/B
PIVOT PANEL BLACK
800-900X1850



DSSC/CLR/CH
SHOWER SCREEN CHROME



DSPD/CLR/CH
PIVOT PANEL CHROME 800-
900X1850



DSTS/CLR/W
TRIPLE SLIDER
SHOWER DOOR WHITE
900X1850

KENZO

THE POPULAR CHOICE

SWARTLAND

The Swartland story began back in 1951 in the small town of Moorreesburg – a few wheat fields north of Cape Town.

In the late 1980s, the philosophy of 'continuous improvement' was instilled in the business.

Today this desire to keep improving is an integral part of the Swartland culture, where traditional values such as hard work and pride live in harmony with new technology and ongoing innovation.

The results speak for themselves: our products are crafted to perfection, manufactured to last and backed by expert national sales and service teams.

National Call Centre: 0861 10 24 25

SANS613
CERTIFIED



SABS
ISO 9001

WWW.SWARTLAND.CO.ZA

HEAD OFFICE: 0861 10 24 25
Cape Town: 0861 10 24 25
Johannesburg: 0861 10 24 25
Durban: 0861 10 24 25
Port Elizabeth: 041 487 1342
East London: 043 745 0410
Namibia: 00 264 612 49558



THE SWARTLAND FAMILY OF BRANDS



July 2024

The information contained in this catalogue was accurate at the time of going to print. All Pictures shown are for illustration purpose only. Actual product may vary due to product enhancement. Swartland Investments (Pty) Ltd reserves the right to change product designs and specifications in line with our continuous development programme.

TERMS AND CONDITIONS APPLY. SEE GUARANTEE CERTIFICATE FOR DETAILS.